

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	35315	"446"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/06/26 14:01
S1	1	"10540587"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 19:57
S2	2476	(reconfigurable or re-configurable or self-configurable or configurable) and robot	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 20:01
S3	384	(reconfigurable or re-configurable or self-configurable or configurable) and robot and "700"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 20:02
S4	31681	(reconfigurable or re-configurable or self-configurable or configurable) and (magnet or magnetic or electromagnetic)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 20:02
S5	1275	(reconfigurable or re-configurable or self-configurable or configurable) and (magnet or magnetic or electromagnetic) and robot	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 20:03
S6	188	(reconfigurable or re-configurable or self-configurable or configurable) and (magnet or magnetic or electromagnetic) and robot and "700"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 20:03
S7	66	(reconfigurable or re-configurable or self-configurable or configurable) and (magnet or magnetic or electromagnetic) and (charge or polarity or polarization) and robot and "700"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 20:04
S8	34356	"446"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/17 20:09

S9	865	*446"/\$.ccls. and (connect \$4 or attach\$4) near10 (polar\$5 or magnet\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/17 20:10
S10	865	*446"/\$.ccls. and ((connect \$4 or attach\$4) near10 (polar\$5 or magnet\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/17 20:10
S11	16	*446"/\$.ccls. and (module near10 (connect\$4 or attach\$4) near10 (polar\$5 or magnet\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/17 20:10
S12	132	*446"/\$.ccls. and ((module or element or block or monomer or brick or block) near10 (connect\$4 or attach\$4) near10 (polar \$5 or magnet\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/17 20:11
S13	3	(reconfigurable or re-configurable or self-configurable or configurable or metamorph \$5 or polymorph\$5 or (shape adj changing) or morph4) near10 (magnet or magnetic or electromagnetic) and (robot or module or element or monomer or brick or block) and "700"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/17 20:27
S14	445	(reconfigurable or re-configurable or self-configurable or configurable or metamorph \$5 or polymorph\$5 or (shape adj changing) or morph4) near10 (robot or module or element or monomer or brick or block) and "700"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/17 20:28
S15	29	(reconfigurable or re-configurable or self-configurable or configurable or metamorph \$5 or polymorph\$5 or (shape adj changing) or morph4) near10 ((robot or module or element or monomer or brick or block) near10 circuit) and "700"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/17 20:29

S16	445	(reconfigurable or re-configurable or self-configurable or metamorph\$5 or polymorph\$5 or (shape adj changing) or morph4) near10 (robot or module or element or monomer or brick or block) and "700"/\$.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/17 20:30
S17	369	(reconfigurable or re-configurable or self-configurable or metamorph\$5 or polymorph\$5 or (shape adj changing) or morph4) near5 (robot or module or element or monomer or brick or block) and "700"/\$.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/18 09:48
S18	251	(reconfigurable or re-configurable or self-configurable or metamorph\$5 or polymorph\$5 or (shape adj changing) or morph4) near3 (robot or module or element or monomer or brick or block) and "700"/\$.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/18 09:48
S19	23	(self-assembl\$3 or (self adj assemble\$3) or self-configurable or metamorph\$5 or polymorph\$5 or (shape adj changing) or morph4) near3 (robot or module or element or monomer or brick or block) and "700"/\$.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/18 09:54
S20	28	(self-assembl\$3 or (self adj assemble\$3) or self-configurable or metamorph\$5 or polymorph\$5 or (shape adj changing) or morph4) near5 (robot or module or element or monomer or brick or block) and "700"/\$.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/18 09:54

S21	31	(self-assembl\$3 or (self adj assemble\$3) or self-configurable or metamorph\$5 or polymorph\$5 or (shape adj changing) or morph4) near10 (robot or module or element or monomer or brick or block) and "700"/\$ cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/18 09:54
S22	2	"5452199".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/18 10:12
S23	2	"6157872".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/18 10:14
S24	2	"4608525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/18 10:19
S25	0	("2003/0109958").URPN.	USPAT	OR	ON	2008/12/18 10:40
S26	3	("6243622" "6477444" "6636781").PN. OR ("6842246").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/18 10:42
S27	8	("6233502" "6233503" "6243622" "6459957" "6477444").PN. OR ("6725128").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/18 10:43
S28	15	("6233502" "6233503" "6243622" "6459957" "6477444").PN. OR ("6636781").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/18 10:45
S29	25	("4648997" "4811210" "4935877" "5222192" "5586218" "5832467" "5867397" "5870527" "5870698" "5884206" "5894450" "5928297" "5942869" "6003056" "6004016" "6004019" "6011372" "6032139" "6233503" "6243622" "6256598").PN. OR ("6477444").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/18 10:47
S30	12	("4935877" "5222192" "5655665" "5893974" "6011372" "6233502" "6233503" "6243622").PN. OR ("6459957").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/18 10:51
S31	16	("4785399" "5103403" "5523662" "5662587" "5784542" "6084373" "6088017").PN. OR ("6243622").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/18 10:52

S32	15	("4785399" "5103403" "5523662" "5662587" "5784542" "6084373" "6088017").PN. OR ("6233503").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/18 10:53
S33	15	("4785399" "5103403" "5523662" "5662587" "5784542" "6084373" "6088017").PN. OR ("6233502").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/18 10:54
S34	5	("3860803" "5122971" "5225987").PN. OR ("5452199").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/18 10:58
S35	6	("4608525" "4664590" "4940925" "5081593" "5210821").PN. OR ("6157872").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/18 10:59
S36	11	("4740410" "5645684" "5659477" "5660680" "5764518" "5988845" "5994159" "6185107" "6233502").PN. OR ("6510359").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/18 11:01
S37	8497	*977"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/18 11:04
S38	174	977/724,725,882.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/18 11:06
S39	4	(self-assembl\$3 or (self adj assemble\$3) or self-configurable or metamorph\$5 or polymorph\$5 or (shape adj changing) or morph4) near10 (robot or module or element or monomer or brick or block) and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/18 11:06
S40	2147	700/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/18 11:22
S41	9685285	wall or cas\$3 or hous\$3 or shell	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:12
S42	10817396	vari\$4 or differ\$3 or chang\$4 or adjust\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:13
S43	2923052	magnet\$2 or polar\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:13
S44	8542663	module or element or block	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:14

S45	9685285	wall or cas\$3 or hous\$3 or shell	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:15
S46	9685285	wall or cas\$3 or hous\$3 or shell	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:26
S47	10817396	vari\$4 or differ\$3 or chang\$4 or adjust\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:26
S48	2923052	magnet\$2 or polar\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:26
S49	9457322	wall or cas\$3 or hous\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:28
S50	11046374	vari\$5 or differ\$3 or chang\$3 or adjust\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:29
S51	2974524	magnet\$3 or polar\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:30
S52	9457322	wall or cas\$3 or hous\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:31
S53	11046374	vari\$5 or differ\$3 or chang\$3 or adjust\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:31
S54	2974524	magnet\$3 or polar\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:31
S55	11161122	wall or side or hous\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:32
S56	9091830	vari\$4 or chang\$4 or adjust\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:32
S57	2974524	magnet\$3 or polar\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:33
S58	1058817	S55 and S56 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:33
S59	9052182	modul\$ or element or block	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:37
S60	11161122	wall or side or hous\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:37
S61	6821015	modul\$ or element	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:37

S62	11161122	wall or side or hous\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:38
S63	9091830	vari\$4 or chang\$4 or adjust\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:38
S64	37289	(wall or cas\$3 or hous\$3) same (vari\$5 or chang\$3 or differ\$3 or adjust\$4) same (magnet\$4 or polar\$8) same (cubes or modul\$3 or element or block)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:46
S65	4455460	assembl\$3 or self-assembl\$4 or configur\$4 or reconfig\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:54
S66	20417	S64 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 10:54
S67	20174	S66 not "435"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 11:06
S68	20083	S67 not "424"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 11:09
S69	19944	S68 not "422"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 11:09
S70	19484	S69 not "369"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 11:14
S71	18946	S70 not "365"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 11:15
S72	17792	S71 not "360"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 11:16
S74	21640	(wall or cas\$3 or hous\$3) same (vari\$5 or chang\$3 or differ\$3 or adjust\$4) same (electromagnet\$4 or polar\$8) same (cubes or modul\$3 or element or block)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 13:42
S75	110347	(vari\$5 or chang\$3 or differ\$3 or adjust\$4) same (electromagnet\$4 or polar\$8) same (cubes or modul\$3 or element or block)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 13:48
S76	62920	((vari\$5 or chang\$3 or differ\$3 or adjust\$4) with (electromagnet\$4 or polar\$8)) same (cubes or modul\$3 or element or block)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 13:48

S77	229	((vari\$5 or chang\$3 or differ\$3 or adjust\$4) with (electromagnet\$4 or polar \$8) with (attach or link)) same (cubes or modul\$3 or element or block)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 13:49
S78	112	((vari\$5 or chang\$3 or differ\$3 or adjust\$4) near5 (electromagnet\$4 or polar \$8)) with (attach or link)) same (cubes or modul\$3 or element or block)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 13:50
S79	29	((vari\$5 or chang\$3 or differ\$3 or adjust\$4) near5 (electromagnet\$4 or polar \$8)) with (attach or link)) same (cubes or modul\$3 or element or block) not (antenna or optical)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/06/30 13:51
S80	2	"5361186".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/07/01 08:45
S81	2	"5,452,199".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/07/01 08:46
S82	2	"10504587"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/12/12 00:29
S83	2	"10/504587"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/12/12 00:29
S84	1	"10/540587"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/12/12 00:30
S85	342	(reconfigurable or re-configurable or self-configurable or configurable) and (magnet or magnetic or electromagnetic) and robot and ((running or increment\$3 or discrete) with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/12/12 18:04
S86	871	(reconfigurable or re-configurable or self-configurable or configurable) and (magnet or magnetic or electromagnetic) and robot and (map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/12/12 18:30

S87	269	(reconfigurable or re-configurable or self-configurable or (magnet or magnetic or electromagnetic) and robot and (map\$4 with (module or element))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/12/12 18:30
-----	-----	----------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------	----	----	---------------------

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	152	977/724,725,882.ccls.	USPAT; UPAD	OR	ON	2010/06/26 14:01
L2	1282	700/245.ccls.	USPAT; UPAD	OR	ON	2010/06/26 14:01
L4	40736	L1 or L2 or "L3"	USPAT; UPAD	OR	ON	2010/06/26 14:02
L5	30865	"446"/\$.ccls.	USPAT; UPAD	OR	ON	2010/06/26 14:02
L6	32271	L1 or L2 or L5	USPAT; UPAD	OR	ON	2010/06/26 14:02
L7	1	L6 and ((module or element or block or robot or monomer or brick) and (ID or identification or number) and (circuit or CPU or control\$2 or process\$3) and (electromagnet\$3) and (power or voltage or battery) and (assembi\$3 or configur\$4 or reconfigur\$4 or build\$4)).clm.	USPAT; UPAD	OR	ON	2010/06/26 14:05

6/ 26/ 2010 2:06:00 PM

C:\Documents and Settings\nsriraman\My Documents\EAST\Workspaces\10540587.wsp